

TSC0306

Toxic Substances Storage



Sequential Door Closing System

Standard Features

- Stainless steel pin continuous hinging for strength and reliability
- Strong fully adjustable shelving perforated for free air movement, 100mm adjustment increments
- High capacity liquid tight sump to contain spills
- State of the art powder coat finish for high durability and performance
- Built in flash arrestors and vent openings [for mechanical ventilation systems]
- Distinct safety signs and directions
- Fully compliant with Australian Standards (AS1940-2004)
- Shipped on it's own purpose built individual and disposable skid with quality protection foam and wrapping ensuring arrival in perfect condition ready for use



For more info email to sales@trade-sales.com.au


or call **1800 999 521**

SPECIFICATIONS

Dimensions [mm]			
	Height	Width	Depth
External	800	500	450
Internal	553	418	370

Maximum Capacity			
Litres	4L	20L	205L
30	7	1	0

Weight [kg]
33
Shelves (including base level)
2



Toxic Substances Storage



Sequential Door
Closing System

Standard Features

- Stainless steel pin continuous hinging for strength and reliability
- Strong fully adjustable shelving perforated for free air movement, 100mm adjustment increments
- High capacity liquid tight sump to contain spills
- State of the art powder coat finish for high durability and performance
- Built in flash arrestors and vent openings [for mechanical ventilation systems]
- Distinct safety signs and directions
- Fully compliant with Australian Standards [AS1940-2004]
- Shipped on it's own purpose built individual and disposable skid with quality protection foam and wrapping ensuring arrival in perfect condition ready for use



For more info email to
sales@trade-sales.com.au
 or call **1800 999 521**

SPECIFICATIONS

Dimensions [mm]			
	Height	Width	Depth
External	1065	500	450
Internal	818	418	370

Maximum Capacity			
Litres	4L	20L	205L
60	12*	2	0


Weight [kg]

41

Shelves (including base level)

2

* When 1 extra shelf is used



TSC1006



TRADESALES

effective workplace solutions

Toxic Substances Storage



Sequential Door Closing System



Standard Features

- Stainless steel pin continuous hinging for strength and reliability
- Strong fully adjustable shelving perforated for free air movement, 100mm adjustment increments
- High capacity liquid tight sump to contain spills
- State of the art powder coat finish for high durability and performance
- Built in flash arrestors and vent openings [for mechanical ventilation systems]
- Distinct safety signs and directions
- Fully compliant with Australian Standards (AS1940-2004)
- Shipped on it's own purpose built individual and disposable skid with quality protection foam and wrapping ensuring arrival in perfect condition ready for use

For more info email to sales@trade-sales.com.au

or call **1800 999 521**

SPECIFICATIONS

Dimensions [mm]			
	Height	Width	Depth
External	800	920	615
Internal	553	838	535

Maximum Capacity			
Litres	4L	20L	205L
100	24	2	0

Weight [kg]
65

Shelves (including base level)
2



TSC1606

Toxic Substances Storage

Standard Features

- Stainless steel pin continuous hinging for strength and reliability
- Strong fully adjustable shelving perforated for free air movement, 100mm adjustment increments
- High capacity liquid tight sump to contain spills
- State of the art powder coat finish for high durability and performance
- Built in flash arrestors and vent openings [for mechanical ventilation systems]
- Distinct safety signs and directions
- Fully compliant with Australian Standards (AS1940-2004)
- Shipped on it's own purpose built individual and disposable skid with quality protection foam and wrapping ensuring arrival in perfect condition ready for use

Sequential Door Closing System



For more info email to sales@trade-sales.com.au
or call **1800 999 521**

SPECIFICATIONS

Dimensions [mm]			
	Height	Width	Depth
External	1220	1100	450
Internal	973	1018	370

Maximum Capacity			
Litres	4L	20L	205L
160	40*	6	0

Weight [kg]
78
Shelves (including base level)
2

* When 2 extra shelves are used



TSC2506



TRADESALES

effective workplace solutions

Toxic Substances Storage



Sequential Door Closing System



Standard Features

- Stainless steel pin continuous hinging for strength and reliability
- Strong fully adjustable shelving perforated for free air movement, 100mm adjustment increments
- High capacity liquid tight sump to contain spills
- State of the art powder coat finish for high durability and performance
- Built in flash arrestors and vent openings [for mechanical ventilation systems]
- Distinct safety signs and directions
- Fully compliant with Australian Standards (AS1940-2004)
- Shipped on it's own purpose built individual and disposable skid with quality protection foam and wrapping ensuring arrival in perfect condition ready for use



For more info email to sales@trade-sales.com.au

or call **1800 999 521**

SPECIFICATIONS

Dimensions [mm]			
	Height	Width	Depth
External	1750	1100	500
Internal	1503	1018	420

Maximum Capacity			
Litres	4L	20L	205L
250	50*	9	0

Weight [kg]
123

Shelves (including base level)
3

* When 2 extra shelves are used



TSC3006

Toxic Substances Storage



Sequential Door Closing System



Standard Features

- Stainless steel pin continuous hinging for strength and reliability
- Strong fully adjustable shelving perforated for free air movement, 100mm adjustment increments
- High capacity liquid tight sump to contain spills
- State of the art powder coat finish for high durability and performance
- Built in flash arrestors and vent openings [for mechanical ventilation systems]
- Distinct safety signs and directions
- Fully compliant with Australian Standards (AS1940-2004)
- Shipped on it's own purpose built individual and disposable skid with quality protection foam and wrapping ensuring arrival in perfect condition ready for use

For more info email to sales@trade-sales.com.au
or call **1800 999 521**

SPECIFICATIONS

Dimensions [mm]			
	Height	Width	Depth
External	1880	806	804
Internal	1608	1018	420

Maximum Capacity			
Litres	4L	20L	205L
250	62	12	1

Weight [kg]
143
Shelves (including base level)
3

